



Stacked herbicide technologies

| AGRONOMIC ATTRIBUTES | HYOLA REGIMENT XC | HYOLA BATTALION XC | HYOLA DEFENDER CT | HYOLA ENFORCER CT |
|-------------------------|----------------------|-----------------------|----------------------|----------------------|
| Yield adaptability | 1.0 - 4.5 t/ha | 1.0 - 2.5 t/ha | 1.0 - 5.5 t/ha | 1.0 - 2.5 t/ha |
| Blackleg rating (UCI) | R | MR | MR | MR |
| Blackleg rating (bare) | R | RMR | R | R |
| Blackleg groups | ADFH | ADF | ADF | ADF |
| Oil potential | High - very high | Mid - high | High | High |
| Herbicide tolerance | XX + CL | XX + CL | CL + TT | CL + TT |
| Maturity | Early - mid | Early | Mid - early | Early - mid |
| # Plant vigour | 8.5 - 9.0 | 8.0 - 8.5 | 7.0 - 7.5 | 6.5 - 7.0 |
| # Plant height | Medium - tall | Medium | Medium | Medium |
| Growing zones | LRZ - HRZ | LRZ - MRZ | MRZ - VHRZ | LRZ - MRZ |

2024 AGRONOMIC FEATURES — HYOLA PRODUCT PORTFOLIO

Single herbicide technologies

| AGRONOMIC ATTRIBUTES | HYOLA BLAZER TT | HYOLA SOLSTICE CL | HYOLA 970 CL | HYOLA FEAST CL |
|-------------------------|--------------------|----------------------|-----------------|-------------------|
| Yield adaptability | 1.0 - 5.5 t/ha | 1.0 - 3.5 t/ha | 3.0 - 7.0 t/ha | 2.0 - 6.5 t/ha |
| Blackleg rating (UCI) | MR | R | R | R |
| Blackleg rating (bare) | RMR | R | R | R |
| Blackleg groups | ADF | ADFH | Н | Н |
| Oil potential | High | High - very high | Mid - high | Mid - high |
| Herbicide tolerance | ТТ | CL | CL winter | CL winter |
| Maturity | Mid - early | Early - mid | Late | Mid - late |
| # Plant vigour | 7.0 - 7.5 | 8.5 - 9.0 | 9.5 - 10.0 | 9.5 - 10.0 |
| # Plant height | Medium | Medium - tall | Very tall | Tall |
| Growing zones | LRZ - HRZ | LRZ - MRZ | HRZ - VHRZ | MRZ - VHRZ |

[#] Visual ratings from Pacific Seeds replicated Research & Development trials.

Herbicide tolerance: $XX = TruFlex^{\circ}$ canola with Roundup Ready $^{\circ}$ Technology, $XX + CL = TruFlex + Clearfield^{\circ}$ canola, CL + TT = Clearfield canola + Triazine tolerant, TT = Triazine tolerant, CL = Clearfield canola.



6 Big Reasons Why Australian farmers are growing XC stacked technology







XX TECHNOLOGY WITH HIGH IMI SOIL CARRYOVER

IMI herbicide soil carryover crop protection benefits

Over single trait TruFlex® technology. Increased grain yield 300 kg/ha - 2590 kg/ha. Increased gross returns \$129 /ha – \$1553 /ha.

Delivering competitive grain yields compared to GLY hybrids

Often, no significant difference with some popular TruFlex® hybrids in GRDC NVT trial sites.

Delivering higher yields & gross returns over single trait OP TT Increased grain yield 150 kg/ha

- 1060 kg/ha. Increased gross returns \$90 /ha – \$636 /ha.

XC TECHNOLOGY WITH HIGH IMI SOIL CARRYOVER

104 Increased ryegrass weed control efficacy

Over single trait Clearfield® technology. Increased ryegrass weed control – up to 23%. Increased ryegrass spikelet control – up to 92%.

1WM resistance management with increased flexible rotations

Use as either or both spray strategy; XX or CL or combined XC to implement a "mix and rotate" strategy assisted by HWSC methods.

1WM boom spray contamination benefits and crop protection

Increased grain yield 140 kg/ha – 350 kg/ha. Increased gross returns \$76 /ha – \$198 /ha.

6 Big Reasons Why Australian farmers are growing CT stacked technology







CT TECHNOLOGY WITH HIGH IMI SOIL CARRYOVER

- 01 IMI herbicide soil carryover crop protection benefits
 - Over single trait OP TT technology. Increased grain yield 160 kg/ha -1570 kg/ha. Increased gross returns \$110 /ha - \$1018 /ha.
- Delivering competitive grain yields compared to TT hybrids

 Often, no significant difference with some popular Triazine Tolerant hybrids in GRDC NVT trial sites.
- Delivering higher yields & gross returns over single trait OP TT

 Increased grain yield 270 kg/ha 880 kg/ha. Increased gross returns \$162 /ha \$528 /ha.

TT TECHNOLOGY WITH HIGH IMI SOIL CARRYOVER

- Over single trait OP TT technology.
 - Increased ryegrass weed control up to 17% Increased ryegrass spikelet control up to 45%.
- 05 IWM resistance management with increased flexible rotations

Use as either or both spray strategy; TT or CL or combined CT to implement a "mix and rotate" strategy assisted by HWSC methods.

1WM boom spray contamination benefits and crop protection

Increased grain yield 40 kg/ha -183 kg/ha. Increased gross returns \$26 /ha - \$106 /ha.

Yield adaptability

Yield adaptability graphs provide valuable insights into how different varieties perform across various yield zones (environments). The data, derived from our National Hyola Innovation Systems Technology Trials, emphasises the importance of multi-environmenttrials (METs) in assessing variety performance across diverse conditions and different seasons.

How to read the graphs:

X-axis

Results are grouped by yield zone.

Y-axis

Yield (t/ha) above (or below) the trial mean for all varieties within each yield zone.











Source: National Hyola innovation systems technology trials




Yield adaptability graphs







Yield adaptability graphs





Yield adaptability graphs





Contact Us

Territory Managers

Ask us about how our products can add value to your business and customers.



Craig Wade

Central Highlands, Callide, Far North QLD, NT

cqcommodities@bigpond.com +61 417 820 388



Angus Somes

Lockyer & Fassifern Valley, Nth Rivers NSW

angus.somes@advantaseeds.com +61 408 452 322



Rob McCarron

Hunter Valley, South Coast, Central West NSW

rob.mccarron@advantaseeds.com +61 427 748 458



Karl Schilg

MIA, East Riverina, South West Slopes

karl.schilg@advantaseeds.com +61 488 049 160



Dan Rolls

Central, East & Western Districts Victoria

daniel.rolls@advantaseeds.com +61 417 756 151



Mila Fotiou

Southern WA

mila.fotiou@advantaseeds.com +61 456 899 542



Talk to us about technical and agronomic advice to maximise product performance.



Justin Kudnig

National Canola Technical Manager

justin.kudnig@advantaseeds.com +61 408 408 616



Tina Tuckey

Dalby, Western Downs & Goondiwindi

augstina.tuckey@advantaseeds.com +61 472 642 947



Bill Smith

Inner Darling Downs

bill.smith@advantaseeds.com +61 428 718 021



Tony McCumstie

Liverpool Plains, Mid North Coast, Nth NSW. North West NSW

tony.mccumstie@advantaseeds.com +61 428 717 738



Ella McDonald

Central WA

ella.mcdonald@advantaseeds.com +61 448 014 892



Tim Wilmshurst

SA, Western Victoria and Tasmania

tim.wilmshurst@advantaseeds.com +61 448 413 440



Asha McFarlane

Northern WA

asha.mcfarlane@advantaseeds.com +61 429 619 103



Andrew Heinrich

Canola Technical Specialist

– Western Australia

andrew.heinrich@advantaseeds.com +61 473 520 818

For current information on Pacific Seeds varieties, contact Toowoomba head office on (07) 4690 2666 or visit us online at pacificseeds.com.au

The information provided on this display is intended as a guide only. Advanta Seeds Pty Ltd ('Advanta Seeds') (including its officers, employees, contractors and agents) can not guarantee that every statement is without flaw of any kind. While Advanta Seeds has taken all due care to ensure that the information provided is accurate at the time of publication, various factors, including planting times and environmental conditions may alter the characteristics and performance from plants. Advanta Seeds shall not be liable for any errors or omissions in the information or for any loss, injury, damage or other consequence whatsoever that you or any person might incur as a result of your use of or reliance upon the products (whether Advanta Seeds products or otherwise) and information which appear in this publication. To the maximum extent permitted by law, the liability of Advanta Seeds for any claim whatsoever arising out of the supply or use of or reliance upon the products and information in this publication (including liability for breach of any condition or warranty implied by the Trade Practices Act 1974 or any other law) is limited at its discretion, to the replacement of the products, the supply of equivalent products or the resupply of the publication. For application to specific conditions, seek further advice from a local professional. © Advanta Seeds 2024.

Hyola®, Pacific Seeds®, CT®, XC® and Growing Possibilities® are registered trademarks of the Advanta Group. Clearfield® is a registered trademark of BASF Agrochemical Products B.V. TruFlex® and Roundup Ready® are registered trademarks of the Bayer Group.

